



ELSEVIER

Chemical Physics 254 (2000) 421–425

Chemical  
Physics

www.elsevier.nl/locate/chemphys

## Author index

- Alikhani, E.M., see Krim, L. 254 (2000) 267
- Aloisio, S., and J.S. Francisco, A density functional study of  $\text{H}_2\text{O}-\text{OClO}$ ,  
 $(\text{H}_2\text{O})_2-\text{OClO}$  and  $\text{H}_2\text{O}-\text{ClOO}$  complexes 254 (2000) 1
- Angulo, G., see Galán, M. 254 (2000) 329
- Azria, R., see Tronc, M. 254 (2000) 69
- Balta, B., and F.A. Gianturco, Structural properties and quantum effects in protonated  
helium clusters. I. The ab initio interaction potential 254 (2000) 203
- Balta, B., F.A. Gianturco and F. Paesani, Structural properties and quantum effects in  
protonated helium clusters. II. Quantum Monte Carlo calculations for the smaller  
aggregates 254 (2000) 215
- Baranović, G., see Stepanić, V. 254 (2000) 151
- Basilevsky, M.V., see Vener, M.V. 254 (2000) 249
- Baumgarten, M., see Karabunarliev, S. 254 (2000) 239
- Bibinov, N.K., A.A. Fateev, D.B. Kokh, E.V. Lugovoj and A.M. Pravilov, Optical  
transitions from the chlorine  $0_u^+(^3\text{P}_2)$  ion-pair state 254 (2000) 89
- Bliß, B., U. Lommatzsch, C. Monte, W. Rettig and B. Brutschy, Supersonic jet and  
solution studies of intramolecular complexes with TICT formation mimicking  
solute-solvent interaction 254 (2000) 407
- Bonamy, J., see Bruet, X. 254 (2000) 297
- Borras-Almenar, J.J., J.M. Clemente-Juan, E. Coronado, A.V. Palii and B.S.  
Tsukerblat, Anisotropic double exchange in orbitally degenerate mixed valence  
systems 254 (2000) 275
- Boullant, E., see Chevreau, H. 254 (2000) 99
- Bruet, X., J. Bonamy and M.L. Dubernet-Tuckey, Broadening and shifting coefficients  
of Raman isotropic  $Q(j)$  ( $j=0,1,2$ ) lines for pure  $\text{H}_2$ : coupled states and semiclassical  
calculations. Comparison with experiments 254 (2000) 297
- Brutschy, B., see Bliß, B. 254 (2000) 407
- Cabaleiro-Lago, E.M., and M.A. Ríos, Ab initio study of  $\text{M}(\text{CH}_3\text{CN})_n$  clusters  
( $\text{M}=\text{Li}^+, \text{Na}^+, \text{Mg}^{2+}$ ) in the gas phase 254 (2000) 11
- Cabaleiro-Lago, E.M., see García-Muruais, A. 254 (2000) 109
- Castaño, F., see Merelas, I. 254 (2000) 77
- Cataliotti, R.S., see Morresi, A. 254 (2000) 337
- Chen, M., see Zhang, L. 254 (2000) 231

- Chevreau, H., E. Boullant, C. D  zarnaud-Dandine and A. Sevin, A theoretical exploratory study of low-energy (1–2 eV) electron catalysis in the  $\text{CO}_2 + \text{H}_2 \rightarrow \text{HCOOH}$  gas phase process 254 (2000) 99
- Cisowski, J., see Mazurak, Z. 254 (2000) 25
- Clemente-Juan, J.M., see Borr  s-Almenar, J.J. 254 (2000) 275
- Cloutier, P., see Tronc, M. 254 (2000) 69
- Coronado, E., see Borr  s-Almenar, J.J. 254 (2000) 275
- Czaja, M., see Mazurak, Z. 254 (2000) 25
- D  zarnaud-Dandine, C., see Chevreau, H. 254 (2000) 99
- Derecskei-Kovacs, A., see Li, R. 254 (2000) 309
- Dimitrova, Y., and S. Peyerimhoff, Ab initio study of structures of hydrogen-bonded nitric acid complexes 254 (2000) 125
- Dubernet-Tuckey, M.L., see Bruet, X. 254 (2000) 297
- Edvardsson, D., see Potts, A.W. 254 (2000) 385
- Fateev, A.A., see Bibinov, N.K. 254 (2000) 89
- Faure, A., L. Wiesenfeld and P. Valiron, Temperature dependence of fast neutral–neutral reactions: a triatomic model study 254 (2000) 49
- Fedorov, A.V., and D.L. Snively, Direct correlation method for OH, NH and CH local modes: vibrational overtone spectroscopy of biphenyl, anthracene, isobutanol, 2-chloroethanol and ethylenediamine at the third overtone region 254 (2000) 169
- Feller, K.-H., see Malyshev, V.A. 254 (2000) 31
- Fern  ndez, J.A., see Merelas, I. 254 (2000) 77
- Francisco, J.S., see Aloisio, S. 254 (2000) 1
- Gal  n, M., and G. Angulo, Some remarks on the application of relaxation techniques to chemical equilibria 254 (2000) 329
- Galasso, V., D. Jones, A. Modelli and M.L. Trudell, A study of the molecular structure and spectroscopic properties of benzo- and pyrido-tetraazapentalenes 254 (2000) 375
- Garc  a-Muruais, A., E.M. Cabaleiro-Lago, J.M. Hermida-Ram  n and M.A. R  os, The study of  $\text{A}(\text{CH}_3\text{OH})_{1-6}$  ( $\text{A} = \text{Li}^+, \text{Na}^+$ ) in the gas phase based on ab initio calculations, analysis of the solvation process 254 (2000) 109
- Ghosh, S.K., see Samanta, A. 254 (2000) 39
- Gianturco, F.A., see Balta, B. 254 (2000) 203
- Gianturco, F.A., see Balta, B. 254 (2000) 215
- Glaeske, H., see Malyshev, V.A. 254 (2000) 31
- Glasbeek, M., see Humbs, W. 254 (2000) 319
- Gratz, H., and A. Penzkofer, Singlet–singlet excited-state absorption and triplet–triplet absorption of *meso*-tetraphenylporphine 254 (2000) 363
- Hayes, M.A., see Potts, A.W. 254 (2000) 385
- Heimann, J., see Mazurak, Z. 254 (2000) 25
- Hermida-Ram  n, J.M., see Garc  a-Muruais, A. 254 (2000) 109
- Holland, D.M.P., see Potts, A.W. 254 (2000) 385
- Humbs, W., H. Zhang and M. Glasbeek, Femtosecond fluorescence upconversion spectroscopy of vapor-deposited tris(8-hydroxyquinoline) aluminum films 254 (2000) 319
- Husain, D., see Merelas, I. 254 (2000) 77

- Jones, D., see Galasso, V. 254 (2000) 375
- Küpper, J., see Schmitt, M. 254 (2000) 349
- Karabunarliev, S., and M. Baumgarten, Using antiferromagnetic couplers for high-spin ground states in ion radicals 254 (2000) 239
- Karlsson, L., see Potts, A.W. 254 (2000) 385
- Kokh, D.B., see Bibinov, N.K. 254 (2000) 89
- Kozlov, G.G., see Malyshev, V.A. 254 (2000) 31
- Krim, L., C. Prot, E.M. Alikhani and L. Manceron, Reactions of ground state Ti atoms with NO: insertion versus complexation. An IR matrix isolation study 254 (2000) 267
- Le Coat, Y., see Tronc, M. 254 (2000) 69
- Li, R., A. Derecskei-Kovacs and S.W. North, The unimolecular dissociation of 2-butenenitrile: measurements of the CN elimination channel using FM Doppler spectroscopy 254 (2000) 309
- Lommatzsch, U., see Bliß, B. 254 (2000) 407
- Lugovoj, E.V., see Bibinov, N.K. 254 (2000) 89
- MacDonald, M.A., see Potts, A.W. 254 (2000) 385
- Malyshev, V.A., G.G. Kozlov, H. Glaeske and K.-H. Feller, Channels of the exciton–exciton annihilation in one-dimensional aggregates at low temperature 254 (2000) 31
- Manceron, L., see Krim, L. 254 (2000) 267
- Maripuu, R., see Potts, A.W. 254 (2000) 385
- Mazurak, Z., J. Cisowski, J. Heimann, A. Nateprov and M. Czaja, Magnetic susceptibility and luminescence of  $\alpha$ -ZnAl<sub>2</sub>S<sub>4</sub> tiospinel doped with chromium 254 (2000) 25
- Merelas, I., J.A. Fernández, P. Puyuelo, M.N. Sánchez Rayo, D. Husain and F. Castaño, The collisional removal of the carbene CCl<sub>2</sub>( $\tilde{X}(0,0,0)$ ) and CCl<sub>2</sub>( $\tilde{A}^1B_1(0,7,0)$ ) by rare gases and simple molecules 254 (2000) 77
- Modelli, A., see Galasso, V. 254 (2000) 375
- Monte, C., see Bliß, B. 254 (2000) 407
- Morresi, A., P. Sassi, M. Paolantoni, S. Santini and R.S. Cataliotti, Solvent effect on the vibrational dephasing of the  $\nu_2$  (CN) and  $\nu_4$  (CC) stretching modes in liquid acetonitrile and acetonitrile-d<sub>3</sub> 254 (2000) 337
- Nateprov, A., see Mazurak, Z. 254 (2000) 25
- North, S.W., see Li, R. 254 (2000) 309
- Paesani, F., see Balta, B. 254 (2000) 215
- Palii, A.V., see Borrás-Almenar, J.J. 254 (2000) 275
- Paolantoni, M., see Morresi, A. 254 (2000) 337
- Penzkofer, A., see Gratz, H. 254 (2000) 363
- Petsalakis, I.D., and G. Theodorakopoulos, Electronic states of CF<sup>+</sup> 254 (2000) 181
- Peyerimhoff, S., see Dimitrova, Y. 254 (2000) 125
- Potts, A.W., D. Edvardsson, L. Karlsson, D.M.P. Holland, M.A. MacDonald, M.A. Hayes, R. Maripuu, K. Siegbahn and W. von Niessen, An experimental and theoretical study of the valence shell photoelectron spectrum of the chlorobenzene molecule 254 (2000) 385
- Pravilov, A.M., see Bibinov, N.K. 254 (2000) 89



- Prot, C., see Krim, L. 254 (2000) 267  
Puyuelo, P., see Merelas, I. 254 (2000) 77  
Qin, Q.-Z., see Zhang, L. 254 (2000) 231  
Ríos, M.A., see Cabaleiro-Lago, E.M. 254 (2000) 11  
Ríos, M.A., see García-Muruais, A. 254 (2000) 109  
Rettig, W., see Bliß, B. 254 (2000) 407  
Rostov, I.V., see Vener, M.V. 254 (2000) 249  
Sánchez Rayo, M.N., see Merelas, I. 254 (2000) 77  
Samanta, A., and S.K. Ghosh, Role of inertial and non-Markovian effects on activated barrier crossing dynamics for charge transfer reactions in solution 254 (2000) 39  
Sanche, L., see Tronc, M. 254 (2000) 69  
Santini, S., see Morresi, A. 254 (2000) 337  
Sassi, P., see Morresi, A. 254 (2000) 337  
Schmitt, M., J. Küpper, D. Spangenberg and A. Westphal, Determination of the structures and barriers to hindered internal rotation of the phenol–methanol cluster in the  $S_0$  and  $S_1$  states 254 (2000) 349  
Sevin, A., see Chevreau, H. 254 (2000) 99  
Siegbahn, K., see Potts, A.W. 254 (2000) 385  
Snively, D.L., see Fedorov, A.V. 254 (2000) 169  
Soudackov, A.V., see Vener, M.V. 254 (2000) 249  
Spangenberg, D., see Schmitt, M. 254 (2000) 349  
Spanget-Larsen, J., E.W. Thulstrup and J. Waluk, Electronic states of diphenyl- and dipyridyl-*s*-tetrazines: linear and magnetic circular dichroism, and quantum chemical calculations 254 (2000) 135  
Stepanić, V., and G. Baranović, Ground and excited states of isodiazene – an ab initio study 254 (2000) 151  
Theodorakopoulos, G., see Petsalakis, I.D. 254 (2000) 181  
Thulstrup, E.W., see Spanget-Larsen, J. 254 (2000) 135  
Tronc, M., R. Azria, Y. Le Coat, P. Cloutier and L. Sanche, Kinetic energy distributions for  $O^-$  and metastable  $CO^*$  produced by electron stimulated desorption from condensed  $CO_2$  254 (2000) 69  
Trudell, M.L., see Galasso, V. 254 (2000) 375  
Tsukerblat, B.S., see Borrás-Almenar, J.J. 254 (2000) 275  
Valiron, P., see Faure, A. 254 (2000) 49  
Vener, M.V., I.V. Rostov, A.V. Soudackov and M.V. Basilevsky, Semiempirical modeling free energy surfaces for proton transfer in polar aprotic solvents 254 (2000) 249  
von Niessen, W., see Potts, A.W. 254 (2000) 385  
Waluk, J., see Spanget-Larsen, J. 254 (2000) 135  
Wang, X., see Zhang, L. 254 (2000) 231  
Westphal, A., see Schmitt, M. 254 (2000) 349  
Wiesenfeld, L., see Faure, A. 254 (2000) 49  
You, X.-Z., see Zhu, X.-L. 254 (2000) 287

- Zanchini, C., Silylcyanides and silylisocyanides: a comparative theoretical study 254 (2000) 187
- Zhang, H., see Humbs, W. 254 (2000) 319
- Zhang, L., X. Wang, M. Chen and Q.-Z. Qin, Activation of CO<sub>2</sub> by Zr atom. Matrix-isolation FTIR spectroscopy and density functional studies 254 (2000) 231
- Zhang, Y., see Zhu, X.-L. 254 (2000) 287
- Zhu, X.-L., X.-Z. You and Y. Zhang, A novel approach to calculation of the second-order nonlinear optical susceptibilities of organic crystals based on energy-band theory 254 (2000) 287





ELSEVIER

Chemical Physics 254 (2000) 427–438

Chemical  
Physics

www.elsevier.nl/locate/chemphys

## Subject index

### Methods and constructs

#### Theoretical

##### *Computational methods for electronic structure*

- A density functional study of  $\text{H}_2\text{O}-\text{OCIO}$ ,  $(\text{H}_2\text{O})_2-\text{OCIO}$  and  $\text{H}_2\text{O}-\text{ClOO}$  complexes, S. Aloisio and J.S. Francisco 254 (2000) 1
- Ab initio study of  $\text{M}(\text{CH}_3\text{CN})_n$  clusters ( $\text{M}=\text{Li}^+$ ,  $\text{Na}^+$ ,  $\text{Mg}^{2+}$ ) in the gas phase, E.M. Cabaleiro-Lago and M.A. Ríos 254 (2000) 11
- Magnetic susceptibility and luminescence of  $\alpha\text{-ZnAl}_2\text{S}_4$  tiospinel doped with chromium, Z. Mazurak, J. Cisowski, J. Heimann, A. Nateprov and M. Czaja 254 (2000) 25
- A theoretical exploratory study of low-energy (1–2 eV) electron catalysis in the  $\text{CO}_2+\text{H}_2\rightarrow\text{HCOOH}$  gas phase process, H. Chevreau, E. Boullant, C. Dézarnaud-Dandine and A. Sevin 254 (2000) 99
- The study of  $\text{A}(\text{CH}_3\text{OH})_{1-6}$  ( $\text{A}=\text{Li}^+$ ,  $\text{Na}^+$ ) in the gas phase based on ab initio calculations, analysis of the solvation process, A. García-Muruais, E.M. Cabaleiro-Lago, J.M. Hermida-Ramón and M.A. Ríos 254 (2000) 109
- Ab initio study of structures of hydrogen-bonded nitric acid complexes, Y. Dimitrova and S. Peyerimhoff 254 (2000) 125
- Electronic states of diphenyl- and dipyridyl-*s*-tetrazines: linear and magnetic circular dichroism, and quantum chemical calculations, J. Spanget-Larsen, E.W. Thulstrup and J. Waluk 254 (2000) 135
- Ground and excited states of isodiazene – an ab initio study, V. Stepanić and G. Baranović 254 (2000) 151
- Direct correlation method for OH, NH and CH local modes: vibrational overtone spectroscopy of biphenyl, anthracene, isobutanol, 2-chloroethanol and ethylenediamine at the third overtone region, A.V. Fedorov and D.L. Snively 254 (2000) 169
- Silylcyanides and silylisocyanides: a comparative theoretical study, C. Zanchini 254 (2000) 187
- Structural properties and quantum effects in protonated helium clusters. I. The ab initio interaction potential, B. Balta and F.A. Gianturco 254 (2000) 203
- Using antiferromagnetic couplers for high-spin ground states in ion radicals, S. Karabunarliev and M. Baumgarten 254 (2000) 239



*-CI and valence bond approach*

- Electronic states of  $\text{CF}^+$ , I.D. Petsalakis and G. Theodorakopoulos 254 (2000) 181

*-density functional theory*

- Silylcyanides and silylisocyanides: a comparative theoretical study, C. Zanchini 254 (2000) 187  
Structural properties and quantum effects in protonated helium clusters. I. The ab initio interaction potential, B. Balta and F.A. Gianturco 254 (2000) 203  
Activation of  $\text{CO}_2$  by Zr atom. Matrix-isolation FTIR spectroscopy and density functional studies, L. Zhang, X. Wang, M. Chen and Q.-Z. Qin 254 (2000) 231

*Semiempirical methods*

- Using antiferromagnetic couplers for high-spin ground states in ion radicals, S. Karabunarliev and M. Baumgarten 254 (2000) 239  
Semiempirical modeling free energy surfaces for proton transfer in polar aprotic solvents, M.V. Vener, I.V. Rostov, A.V. Soudackov and M.V. Basilevsky 254 (2000) 249  
Reactions of ground state Ti atoms with NO: insertion versus complexation. An IR matrix isolation study, L. Krim, C. Prot, E.M. Alikhani and L. Manceron 254 (2000) 267

*Spin states and magnetic interactions*

- Magnetic susceptibility and luminescence of  $\alpha\text{-ZnAl}_2\text{S}_4$  tiospinel doped with chromium, Z. Mazurak, J. Cisowski, J. Heimann, A. Nateprov and M. Czaja 254 (2000) 25  
Anisotropic double exchange in orbitally degenerate mixed valence systems, J.J. Borrás-Almenar, J.M. Clemente-Juan, E. Coronado, A.V. Pali and B.S. Tsukerblat 254 (2000) 275

*Molecular response to external fields (incl. optical susceptibilities, dichroism, hyperpolarizabilities)*

- Channels of the exciton–exciton annihilation in one-dimensional aggregates at low temperature, V.A. Malyshev, G.G. Kozlov, H. Glaeske and K.-H. Feller 254 (2000) 31  
Electronic states of diphenyl- and dipyridyl-*s*-tetrazines: linear and magnetic circular dichroism, and quantum chemical calculations, J. Spanget-Larsen, E.W. Thulstrup and J. Waluk 254 (2000) 135  
A novel approach to calculation of the second-order nonlinear optical susceptibilities of organic crystals based on energy-band theory, X.-L. Zhu, X.-Z. You and Y. Zhang 254 (2000) 287

*Radiative (incl. relativistic) effects on molecules and molecular processes*

- Broadening and shifting coefficients of Raman isotropic  $Q(j)$  ( $j=0,1,2$ ) lines for pure  $\text{H}_2$ : coupled states and semiclassical calculations. Comparison with experiments, X. Bruet, J. Bonamy and M.L. Dubernet-Tuckey 254 (2000) 297

*Scattering of waves and particles*

- Broadening and shifting coefficients of Raman isotropic  $Q(j)$  ( $j=0,1,2$ ) lines for pure  $\text{H}_2$ : coupled states and semiclassical calculations. Comparison with experiments, X. Bruet, J. Bonamy and M.L. Dubernet-Tuckey 254 (2000) 297

*Intramolecular dynamics*

- The unimolecular dissociation of 2-butenenitrile: measurements of the CN elimination channel using FM Doppler spectroscopy, R. Li, A. Derecskei-Kovacs and S.W. North 254 (2000) 309



- Femtosecond fluorescence upconversion spectroscopy of vapor-deposited tris(8-hydroxyquinoline) aluminum films, W. Humbs, H. Zhang and M. Glasbeek 254 (2000) 319

*Molecular dynamics of many particle systems and condensed phases*

- Role of inertial and non-Markovian effects on activated barrier crossing dynamics for charge transfer reactions in solution, A. Samanta and S.K. Ghosh 254 (2000) 39

*Statistical computational methods (incl. Monte Carlo)*

- Temperature dependence of fast neutral–neutral reactions: a triatomic model study, A. Faure, L. Wiesenfeld and P. Valiron 254 (2000) 49

- Structural properties and quantum effects in protonated helium clusters. II. Quantum Monte Carlo calculations for the smaller aggregates, B. Balta, F.A. Gianturco and F. Paesani 254 (2000) 215

*Dynamics of structures, lattices and macromolecular conformations*

- Channels of the exciton–exciton annihilation in one-dimensional aggregates at low temperature, V.A. Malyshev, G.G. Kozlov, H. Glaeske and K.-H. Feller 254 (2000) 31

*Fluctuations and random processes*

- Some remarks on the application of relaxation techniques to chemical equilibria, M. Galán and G. Angulo 254 (2000) 329

*Non-equilibrium statistical mechanics*

- Role of inertial and non-Markovian effects on activated barrier crossing dynamics for charge transfer reactions in solution, A. Samanta and S.K. Ghosh 254 (2000) 39

**Experiment**

*Magnetic resonances*

- Using antiferromagnetic couplers for high-spin ground states in ion radicals, S. Karabunarliev and M. Baumgarten 254 (2000) 239

*Molecular spectroscopy*

- The collisional removal of the carbene  $\text{CCl}_2(\tilde{X}(0,0,0))$  and  $\text{CCl}_2(\tilde{A}^1\text{B}_1(0,7,0))$  by rare gases and simple molecules, I. Merelas, J.A. Fernández, P. Puyuelo, M.N. Sánchez Rayo, D. Husain and F. Castaño 254 (2000) 77

- Electronic states of diphenyl- and dipyridyl-*s*-tetrazines: linear and magnetic circular dichroism, and quantum chemical calculations, J. Spanget-Larsen, E.W. Thulstrup and J. Waluk 254 (2000) 135

- Ground and excited states of isodiazene – an ab initio study, V. Stepanić and G. Baranović 254 (2000) 151

- Some remarks on the application of relaxation techniques to chemical equilibria, M. Galán and G. Angulo 254 (2000) 329

- Solvent effect on the vibrational dephasing of the  $\nu_2$  (CN) and  $\nu_4$  (CC) stretching modes in liquid acetonitrile and acetonitrile- $\text{d}_3$ , A. Morresi, P. Sassi, M. Paolantoni, S. Santini and R.S. Cataliotti 254 (2000) 337

- Determination of the structures and barriers to hindered internal rotation of the phenol–methanol cluster in the  $S_0$  and  $S_1$  states, M. Schmitt, J. Küpper, D. Spangenberg and A. Westphal 254 (2000) 349

*-infrared*

- Activation of  $CO_2$  by Zr atom. Matrix-isolation FTIR spectroscopy and density functional studies, L. Zhang, X. Wang, M. Chen and Q.-Z. Qin 254 (2000) 231
- Reactions of ground state Ti atoms with NO: insertion versus complexation. An IR matrix isolation study, L. Krim, C. Prot, E.M. Alikhani and L. Manceron 254 (2000) 267

*-visible*

- Singlet–singlet excited-state absorption and triplet–triplet absorption of *meso*-tetraphenylporphine, H. Gratz and A. Penzkofer 254 (2000) 363

*Photoelectron and Auger spectroscopy*

- A study of the molecular structure and spectroscopic properties of benzo- and pyridotetraazapentalenes, V. Galasso, D. Jones, A. Modelli and M.L. Trudell 254 (2000) 375
- An experimental and theoretical study of the valence shell photoelectron spectrum of the chlorobenzene molecule, A.W. Potts, D. Edvardsson, L. Karlsson, D.M.P. Holland, M.A. MacDonald, M.A. Hayes, R. Maripuu, K. Siegbahn and W. von Niessen 254 (2000) 385

*Multiphoton ionization*

- Supersonic jet and solution studies of intramolecular complexes with TICT formation mimicking solute–solvent interaction, B. Bliß, U. Lommatzsch, C. Monte, W. Rettig and B. Brutschy 254 (2000) 407

*Electron impact spectroscopy*

- Kinetic energy distributions for  $O^-$  and metastable  $CO^*$  produced by electron stimulated desorption from condensed  $CO_2$ , M. Tronc, R. Azria, Y.L. Coat, P. Cloutier and L. Sanche 254 (2000) 69

*Laser induced fluorescence*

- The collisional removal of the carbene  $CCl_2(\tilde{X}(0,0,0))$  and  $CCl_2(\tilde{A}^1B_1(0,7,0))$  by rare gases and simple molecules, I. Merelas, J.A. Fernández, P. Puyuelo, M.N. Sánchez Rayo, D. Husain and F. Castaño 254 (2000) 77
- Optical transitions from the chlorine  $0_u^+(^3P_2)$  ion-pair state, N.K. Bibinov, A.A. Fateev, D.B. Kokh, E.V. Lugovoj and A.M. Pravilov 254 (2000) 89
- Determination of the structures and barriers to hindered internal rotation of the phenol–methanol cluster in the  $S_0$  and  $S_1$  states, M. Schmitt, J. Küpper, D. Spangenberg and A. Westphal 254 (2000) 349
- Supersonic jet and solution studies of intramolecular complexes with TICT formation mimicking solute–solvent interaction, B. Bliß, U. Lommatzsch, C. Monte, W. Rettig and B. Brutschy 254 (2000) 407

*Ultrafast measurements*

- Femtosecond fluorescence upconversion spectroscopy of vapor-deposited tris(8-hydroxyquinoline) aluminum films, W. Humbs, H. Zhang and M. Glasbeek 254 (2000) 319

- Singlet–singlet excited-state absorption and triplet–triplet absorption of *meso*-tetraphenylporphine, H. Gratz and A. Penzkofer 254 (2000) 363

*Nonlinear optics and spectroscopy*

- Singlet–singlet excited-state absorption and triplet–triplet absorption of *meso*-tetraphenylporphine, H. Gratz and A. Penzkofer 254 (2000) 363

*Synchrotron spectroscopies*

- An experimental and theoretical study of the valence shell photoelectron spectrum of the chlorobenzene molecule, A.W. Potts, D. Edvardsson, L. Karlsson, D.M.P. Holland, M.A. MacDonald, M.A. Hayes, R. Maripuu, K. Siegbahn and W. von Niessen 254 (2000) 385

*Optical pumping*

- Magnetic susceptibility and luminescence of  $\alpha$ -ZnAl<sub>2</sub>S<sub>4</sub> tiospinel doped with chromium, Z. Mazurak, J. Cisowski, J. Heimann, A. Nateprov and M. Czaja 254 (2000) 25

*Optoacoustic spectroscopy*

- Direct correlation method for OH, NH and CH local modes: vibrational overtone spectroscopy of biphenyl, anthracene, isobutanol, 2-chloroethanol and ethylenediamine at the third overtone region, A.V. Fedorov and D.L. Snavely 254 (2000) 169

*Mass spectroscopy*

- Kinetic energy distributions for O<sup>−</sup> and metastable CO<sup>+</sup> produced by electron stimulated desorption from condensed CO<sub>2</sub>, M. Tronc, R. Azria, Y. Le Coat, P. Cloutier and L. Sanche 254 (2000) 69

*Measurement of macroscopic variables*

- Some remarks on the application of relaxation techniques to chemical equilibria, M. Galán and G. Angulo 254 (2000) 329

## Objects

### Bulk systems

#### *Gases*

- The collisional removal of the carbene CCl<sub>2</sub>( $\tilde{X}(0,0,0)$ ) and CCl<sub>2</sub>( $\tilde{A}^1B_1(0,7,0)$ ) by rare gases and simple molecules, I. Merelas, J.A. Fernández, P. Puyuelo, M.N. Sánchez Rayo, D. Husain and F. Castaño 254 (2000) 77
- Optical transitions from the chlorine 0<sub>u</sub><sup>+</sup>(<sup>3</sup>P<sub>2</sub>) ion-pair state, N.K. Bibinov, A.A. Fateev, D.B. Kokh, E.V. Lugovoj and A.M. Pravilov 254 (2000) 89
- Ground and excited states of isodiazene – an ab initio study, V. Stepanić and G. Baranović 254 (2000) 151
- Structural properties and quantum effects in protonated helium clusters. I. The ab initio interaction potential, B. Balta and F.A. Gianturco 254 (2000) 203



- Structural properties and quantum effects in protonated helium clusters. II. Quantum Monte Carlo calculations for the smaller aggregates, B. Balta, F.A. Gianturco and F. Paesani 254 (2000) 215
- Broadening and shifting coefficients of Raman isotropic  $Q(j)$  ( $j=0,1,2$ ) lines for pure  $H_2$ : coupled states and semiclassical calculations. Comparison with experiments, X. Bruet, J. Bonamy and M.L. Dubernet-Tuckey 254 (2000) 297
- Supersonic beams*
- Supersonic jet and solution studies of intramolecular complexes with TICT formation mimicking solute–solvent interaction, B. Bliß, U. Lommatzsch, C. Monte, W. Rettig and B. Brutschy 254 (2000) 407
- Liquid mixtures and solutions*
- Role of inertial and non-Markovian effects on activated barrier crossing dynamics for charge transfer reactions in solution, A. Samanta and S.K. Ghosh 254 (2000) 39
- Semiempirical modeling free energy surfaces for proton transfer in polar aprotic solvents, M.V. Vener, I.V. Rostov, A.V. Soudackov and M.V. Basilevsky 254 (2000) 249
- Some remarks on the application of relaxation techniques to chemical equilibria, M. Galán and G. Angulo 254 (2000) 329
- Solvent effect on the vibrational dephasing of the  $\nu_2$  (CN) and  $\nu_4$  (CC) stretching modes in liquid acetonitrile and acetonitrile- $d_3$ , A. Morresi, P. Sassi, M. Paolantoni, S. Santini and R.S. Cataliotti 254 (2000) 337
- Crystals*
- Magnetic susceptibility and luminescence of  $\alpha$ - $ZnAl_2S_4$  tiospinel doped with chromium, Z. Mazurak, J. Cisowski, J. Heimann, A. Nateprov and M. Czaja 254 (2000) 25
- A novel approach to calculation of the second-order nonlinear optical susceptibilities of organic crystals based on energy-band theory, X.-L. Zhu, X.-Z. You and Y. Zhang 254 (2000) 287
- Complex fluids*
- Role of inertial and non-Markovian effects on activated barrier crossing dynamics for charge transfer reactions in solution, A. Samanta and S.K. Ghosh 254 (2000) 39
- Polymers*
- Electronic states of diphenyl- and dipyrityl-*s*-tetrazines: linear and magnetic circular dichroism, and quantum chemical calculations, J. Spanget-Larsen, E.W. Thulstrup and J. Waluk 254 (2000) 135
- Thin films*
- Channels of the exciton–exciton annihilation in one-dimensional aggregates at low temperature, V.A. Malyshev, G.G. Kozlov, H. Glaeske and K.-H. Feller 254 (2000) 31
- Femtosecond fluorescence upconversion spectroscopy of vapor-deposited tris(8-hydroxyquinoline) aluminum films, W. Humbs, H. Zhang and M. Glasbeek 254 (2000) 319
- Surfaces*
- Kinetic energy distributions for  $O^-$  and metastable  $CO^*$  produced by electron stimulated desorption from condensed  $CO_2$ , M. Tronc, R. Azria, Y. Le Coat, P. Cloutier and L. Sanche 254 (2000) 69

**Microscopic and mesoscopic systems***Molecules (neutral and ionic)*

- Magnetic susceptibility and luminescence of  $\alpha$ -ZnAl<sub>2</sub>S<sub>4</sub> tiospinel doped with chromium, Z. Mazurak, J. Cisowski, J. Heimann, A. Nateprov and M. Czaja 254 (2000) 25
- Optical transitions from the chlorine  $0_u^+(^3P_2)$  ion-pair state, N.K. Bibinov, A.A. Fateev, D.B. Kokh, E.V. Lugovoj and A.M. Pravilov 254 (2000) 89
- Direct correlation method for OH, NH and CH local modes: vibrational overtone spectroscopy of biphenyl, anthracene, isobutanol, 2-chloroethanol and ethylenediamine at the third overtone region, A.V. Fedorov and D.L. Snavely 254 (2000) 169
- Silylcyanides and silylisocyanides: a comparative theoretical study, C. Zanchini 254 (2000) 187
- Solvent effect on the vibrational dephasing of the  $\nu_2$  (CN) and  $\nu_4$  (CC) stretching modes in liquid acetonitrile and acetonitrile-d<sub>3</sub>, A. Morresi, P. Sassi, M. Paolantoni, S. Santini and R.S. Cataliotti 254 (2000) 337

*-diatomic*

- Electronic states of CF<sup>+</sup>, I.D. Petsalakis and G. Theodorakopoulos 254 (2000) 181
- Broadening and shifting coefficients of Raman isotropic  $Q(j)$  ( $j=0,1,2$ ) lines for pure H<sub>2</sub>: coupled states and semiclassical calculations. Comparison with experiments, X. Bruet, J. Bonamy and M.L. Dubernet-Tuckey 254 (2000) 297

*-small polyatomics*

- A theoretical exploratory study of low-energy (1–2 eV) electron catalysis in the CO<sub>2</sub>+H<sub>2</sub>→HCOOH gas phase process, H. Chevreau, E. Boullant, C. Dézarnaud-Dandine and A. Sevin 254 (2000) 99
- Ground and excited states of isodiazene – an ab initio study, V. Stepanić and G. Baranović 254 (2000) 151
- Silylcyanides and silylisocyanides: a comparative theoretical study, C. Zanchini 254 (2000) 187
- Reactions of ground state Ti atoms with NO: insertion versus complexation. An IR matrix isolation study, L. Krim, C. Prot, E.M. Alikhani and L. Manceron 254 (2000) 267
- The unimolecular dissociation of 2-butenenitrile: measurements of the CN elimination channel using FM Doppler spectroscopy, R. Li, A. Derecskei-Kovacs and S.W. North 254 (2000) 309

*-aromatics*

- Electronic states of diphenyl- and dipyridyl-*s*-tetrazines: linear and magnetic circular dichroism, and quantum chemical calculations, J. Spanget-Larsen, E.W. Thulstrup and J. Waluk 254 (2000) 135
- Singlet–singlet excited-state absorption and triplet–triplet absorption of *meso*-tetraphenylporphine, H. Gratz and A. Penzkofer 254 (2000) 363
- A study of the molecular structure and spectroscopic properties of benzo- and pyridotetraazapentalenes, V. Galasso, D. Jones, A. Modelli and M.L. Trudell 254 (2000) 375
- An experimental and theoretical study of the valence shell photoelectron spectrum of the chlorobenzene molecule, A.W. Potts, D. Edvardsson, L. Karlsson, D.M.P. Holland, M.A. MacDonald, M.A. Hayes, R. Maripuu, K. Siegbahn and W. von Niessen 254 (2000) 385

*Molecular aggregates*

- Channels of the exciton–exciton annihilation in one-dimensional aggregates at low temperature, V.A. Malyshev, G.G. Kozlov, H. Glaeske and K.-H. Feller 254 (2000) 31
- Temperature dependence of fast neutral–neutral reactions: a triatomic model study, A. Faure, L. Wiesenfeld and P. Valiron 254 (2000) 49
- The study of  $A(\text{CH}_3\text{OH})_{1-6}$  ( $A=\text{Li}^+$ ,  $\text{Na}^+$ ) in the gas phase based on ab initio calculations, analysis of the solvation process, A. García-Muruais, E.M. Cabaleiro-Lago, J.M. Hermida-Ramón and M.A. Ríos 254 (2000) 109
- Ab initio study of structures of hydrogen-bonded nitric acid complexes, Y. Dimitrova and S. Peyerimhoff 254 (2000) 125
- Supersonic jet and solution studies of intramolecular complexes with TICT formation mimicking solute–solvent interaction, B. Bliß, U. Lommatzsch, C. Monte, W. Rettig and B. Brutschy 254 (2000) 407

*-dimers*

- Anisotropic double exchange in orbitally degenerate mixed valence systems, J.J. Borrás-Almenar, J.M. Clemente-Juan, E. Coronado, A.V. Palii and B.S. Tsukerblat 254 (2000) 275

*-clusters*

- Structural properties and quantum effects in protonated helium clusters. I. The ab initio interaction potential, B. Balta and F.A. Gianturco 254 (2000) 203
- Structural properties and quantum effects in protonated helium clusters. II. Quantum Monte Carlo calculations for the smaller aggregates, B. Balta, F.A. Gianturco and F. Paesani 254 (2000) 215
- Determination of the structures and barriers to hindered internal rotation of the phenol–methanol cluster in the  $S_0$  and  $S_1$  states, M. Schmitt, J. Küpper, D. Spangenberg and A. Westphal 254 (2000) 349

*-complexes*

- A density functional study of  $\text{H}_2\text{O}-\text{OClO}$ ,  $(\text{H}_2\text{O})_2-\text{OClO}$  and  $\text{H}_2\text{O}-\text{ClOO}$  complexes, S. Aloisio and J.S. Francisco 254 (2000) 1
- Ab initio study of  $M(\text{CH}_3\text{CN})_n$  clusters ( $M=\text{Li}^+$ ,  $\text{Na}^+$ ,  $\text{Mg}^{2+}$ ) in the gas phase, E.M. Cabaleiro-Lago and M.A. Ríos 254 (2000) 11
- Semiempirical modeling free energy surfaces for proton transfer in polar aprotic solvents, M.V. Vener, I.V. Rostov, A.V. Soudackov and M.V. Basilevsky 254 (2000) 249

*Free radicals (incl. hydronium and muonium)*

- The collisional removal of the carbene  $\text{CCl}_2(\tilde{X}(0,0,0))$  and  $\text{CCl}_2(\tilde{A}^1\text{B}_1(0,7,0))$  by rare gases and simple molecules, I. Merelas, J.A. Fernández, P. Puyuelo, M.N. Sánchez Rayo, D. Husain and F. Castaño 254 (2000) 77
- The unimolecular dissociation of 2-butenenitrile: measurements of the CN elimination channel using FM Doppler spectroscopy, R. Li, A. Derecskei-Kovacs and S.W. North 254 (2000) 309

*Ions and charge carriers*

- A theoretical exploratory study of low-energy (1–2 eV) electron catalysis in the  $\text{CO}_2+\text{H}_2\rightarrow\text{HCOOH}$  gas phase process, H. Chevreau, E. Boullant, C. Dézarnaud-Dandine and A. Sevin 254 (2000) 99



### Proteins

- Some remarks on the application of relaxation techniques to chemical equilibria, M. Galán and G. Angulo 254 (2000) 329

## Phenomena

### Molecular structure

- A theoretical exploratory study of low-energy (1–2 eV) electron catalysis in the  $\text{CO}_2 + \text{H}_2 \rightarrow \text{HCOOH}$  gas phase process, H. Chevreau, E. Boullant, C. Dézarnaud-Dandine and A. Sevin 254 (2000) 99
- Ab initio study of structures of hydrogen-bonded nitric acid complexes, Y. Dimitrova and S. Peyerimhoff 254 (2000) 125
- Silylcyanides and silylisocyanides: a comparative theoretical study, C. Zanchini 254 (2000) 187
- Structural properties and quantum effects in protonated helium clusters. II. Quantum Monte Carlo calculations for the smaller aggregates, B. Balta, F.A. Gianturco and F. Paesani 254 (2000) 215
- Activation of  $\text{CO}_2$  by Zr atom. Matrix-isolation FTIR spectroscopy and density functional studies, L. Zhang, X. Wang, M. Chen and Q.-Z. Qin 254 (2000) 231
- Reactions of ground state Ti atoms with NO: insertion versus complexation. An IR matrix isolation study, L. Krim, C. Prot, E.M. Alikhani and L. Manceron 254 (2000) 267
- Determination of the structures and barriers to hindered internal rotation of the phenol-methanol cluster in the  $S_0$  and  $S_1$  states, M. Schmitt, J. Küpper, D. Spangenberg and A. Westphal 254 (2000) 349
- A study of the molecular structure and spectroscopic properties of benzo- and pyridotetraazapentalenes, V. Galasso, D. Jones, A. Modelli and M.L. Trudell 254 (2000) 375

### Vibrations and rotations of molecules

- A density functional study of  $\text{H}_2\text{O}-\text{OCIO}$ ,  $(\text{H}_2\text{O})_2-\text{OCIO}$  and  $\text{H}_2\text{O}-\text{CLOO}$  complexes, S. Aloisio and J.S. Francisco 254 (2000) 1
- Direct correlation method for OH, NH and CH local modes: vibrational overtone spectroscopy of biphenyl, anthracene, isobutanol, 2-chloroethanol and ethylenediamine at the third overtone region, A.V. Fedorov and D.L. Snively 254 (2000) 169
- Activation of  $\text{CO}_2$  by Zr atom. Matrix-isolation FTIR spectroscopy and density functional studies, L. Zhang, X. Wang, M. Chen and Q.-Z. Qin 254 (2000) 231
- Broadening and shifting coefficients of Raman isotropic  $Q(j)$  ( $j=0,1,2$ ) lines for pure  $\text{H}_2$ : coupled states and semiclassical calculations. Comparison with experiments, X. Bruet, J. Bonamy and M.L. Dubernet-Tuckey 254 (2000) 297
- Solvent effect on the vibrational dephasing of the  $\nu_2$  (CN) and  $\nu_4$  (CC) stretching modes in liquid acetonitrile and acetonitrile- $\text{d}_3$ , A. Morresi, P. Sassi, M. Paolantoni, S. Santini and R.S. Cataliotti 254 (2000) 337

### Electronic structure and states

- The collisional removal of the carbene  $\text{CCl}_2(\tilde{X}(0,0,0))$  and  $\text{CCl}_2(\tilde{A}^1\text{B}_1(0,7,0))$  by rare gases and simple molecules, I. Merelas, J.A. Fernández, P. Puyuelo, M.N. Sánchez Rayo, D. Husain and F. Castaño 254 (2000) 77

- Ground and excited states of isodiazene – an ab initio study, V. Stepanić and G. Baranović 254 (2000) 151
- Electronic states of  $\text{CF}^+$ , I.D. Petsalakis and G. Theodorakopoulos 254 (2000) 181
- Structural properties and quantum effects in protonated helium clusters. I. The ab initio interaction potential, B. Balta and F.A. Gianturco 254 (2000) 203
- Activation of  $\text{CO}_2$  by Zr atom. Matrix-isolation FTIR spectroscopy and density functional studies, L. Zhang, X. Wang, M. Chen and Q.-Z. Qin 254 (2000) 231
- Using antiferromagnetic couplers for high-spin ground states in ion radicals, S. Karabunarliev and M. Baumgarten 254 (2000) 239
- Anisotropic double exchange in orbitally degenerate mixed valence systems, J.J. Borrás-Almenar, J.M. Clemente-Juan, E. Coronado, A.V. Palić and B.S. Tsukerblat 254 (2000) 275
- A study of the molecular structure and spectroscopic properties of benzo- and pyridotetraazapentalenes, V. Galasso, D. Jones, A. Modelli and M.L. Trudell 254 (2000) 375
- An experimental and theoretical study of the valence shell photoelectron spectrum of the chlorobenzene molecule, A.W. Potts, D. Edvardsson, L. Karlsson, D.M.P. Holland, M.A. MacDonald, M.A. Hayes, R. Maripuu, K. Siegbahn and W. von Niessen 254 (2000) 385
- Spin splittings*
- Using antiferromagnetic couplers for high-spin ground states in ion radicals, S. Karabunarliev and M. Baumgarten 254 (2000) 239
- Molecular interactions*
- Determination of the structures and barriers to hindered internal rotation of the phenol–methanol cluster in the  $S_0$  and  $S_1$  states, M. Schmitt, J. Küpper, D. Spangenberg and A. Westphal 254 (2000) 349
- Energy transfer processes*
- Femtosecond fluorescence upconversion spectroscopy of vapor-deposited tris(8-hydroxyquinoline) aluminum films, W. Humbs, H. Zhang and M. Glasbeek 254 (2000) 319
- Molecular photophysical processes*
- Singlet–singlet excited-state absorption and triplet–triplet absorption of *meso*-tetraphenylporphine, H. Gratz and A. Penzkofer 254 (2000) 363
- An experimental and theoretical study of the valence shell photoelectron spectrum of the chlorobenzene molecule, A.W. Potts, D. Edvardsson, L. Karlsson, D.M.P. Holland, M.A. MacDonald, M.A. Hayes, R. Maripuu, K. Siegbahn and W. von Niessen 254 (2000) 385
- Supersonic jet and solution studies of intramolecular complexes with TICT formation mimicking solute–solvent interaction, B. Bliß, U. Lommatzsch, C. Monte, W. Rettig and B. Brutschy 254 (2000) 407
- Photochemistry*
- The unimolecular dissociation of 2-butenenitrile: measurements of the CN elimination channel using FM Doppler spectroscopy, R. Li, A. Derecskei-Kovacs and S.W. North 254 (2000) 309

*Intramolecular dynamics**-radiationless transitions*

- Optical transitions from the chlorine  $0_u^+(^3P_2)$  ion-pair state, N.K. Bibinov, A.A. Fateev, D.B. Kokh, E.V. Lugovoj and A.M. Pravilov 254 (2000) 89

*Luminescence spectra, yields and lifetimes*

- Femtosecond fluorescence upconversion spectroscopy of vapor-deposited tris (8-hydroxyquinoline) aluminum films, W. Humbs, H. Zhang and M. Glasbeek 254 (2000) 319

*Nonlinear responses (incl. optical)*

- Channels of the exciton–exciton annihilation in one-dimensional aggregates at low temperature, V.A. Malyshev, G.G. Kozlov, H. Glaeske and K.-H. Feller 254 (2000) 31
- A novel approach to calculation of the second-order nonlinear optical susceptibilities of organic crystals based on energy-band theory, X.-L. Zhu, X.-Z. You and Y. Zhang 254 (2000) 287

*Reactions (incl. dissociation)*

- Temperature dependence of fast neutral–neutral reactions: a triatomic model study, A. Faure, L. Wiesenfeld and P. Valiron 254 (2000) 49
- A theoretical exploratory study of low-energy (1–2 eV) electron catalysis in the  $\text{CO}_2 + \text{H}_2 \rightarrow \text{HCOOH}$  gas phase process, H. Chevreau, E. Boullant, C. Dézarnaud-Dandine and A. Sevin 254 (2000) 99
- Reactions of ground state Ti atoms with NO: insertion versus complexation. An IR matrix isolation study, L. Krim, C. Prot, E.M. Alikhani and L. Manceron 254 (2000) 267

*-isolated molecules*

- The unimolecular dissociation of 2-butenenitrile: measurements of the CN elimination channel using FM Doppler spectroscopy, R. Li, A. Derecskei-Kovacs and S.W. North 254 (2000) 309

*-condensed phase*

- Role of inertial and non-Markovian effects on activated barrier crossing dynamics for charge transfer reactions in solution, A. Samanta and S.K. Ghosh 254 (2000) 39
- Kinetic energy distributions for  $\text{O}^-$  and metastable  $\text{CO}^*$  produced by electron stimulated desorption from condensed  $\text{CO}_2$ , M. Tronc, R. Azria, Y. Le Coat, P. Cloutier and L. Sanche 254 (2000) 69

*Electron transfer*

- Anisotropic double exchange in orbitally degenerate mixed valence systems, J.J. Borrás-Almenar, J.M. Clemente-Juan, E. Coronado, A.V. Palić and B.S. Tsukerblat 254 (2000) 275

*Proton and hydrogen atom transfer*

- Semiempirical modeling free energy surfaces for proton transfer in polar aprotic solvents, M.V. Vener, I.V. Rostov, A.V. Soudackov and M.V. Basilevsky 254 (2000) 249



**Surface chemical physics****-desorption**

- Kinetic energy distributions for  $O^-$  and metastable  $CO^+$  produced by electron stimulated desorption from condensed  $CO_2$ , M. Tronc, R. Azria, Y. Le Coat, P. Cloutier and L. Sanche

254 (2000) 69

**Structure of solids, liquids and glasses**

- Structural properties and quantum effects in protonated helium clusters. II. Quantum Monte Carlo calculations for the smaller aggregates, B. Balta, F.A. Gianturco and F. Paesani

254 (2000) 215